



RADIANT LED

The Light People The Right People



✉ radiantled@outlook.com
🌐 www.radiantledlight.com

About Us

We are engaged into manufacturing, importing and supplying of Indoor LED Lights. Customer Satisfaction and Quality Assurance are of Utmost Importance For Us.

Established in the year 2013, Radiant Led has emerged into finest LED light manufacturer with detailed focus on Product Innovation, Customer Demand and Quality Assurance We provide a wide array of offerings which includes LED items such as LED Panel Light, LED Surface Light, LED Rimless Lights, COB Downlights, COB Designer Downlighters, COB Cylinders, Etc.

Original Equipment Manufacturer (OEM)

We are OEM Partners of all almost 100 Leading Brands across the Nation. Our progress indicates that soon we will acquire a position of leading business entity in this domain. Our products are preferred for their exceptional quality standards.

Owing to our huge production capacity, we never fail to fulfill urgent and bulk orders. At our manufacturing unit, we have all the necessary resources available from high tech equipments to modern tools.



Certifications

We are ISO 9001:2014 and BIS certified. These Certifications ensure that our Products are of superior Quality and are adhering to International Standards. They also meet all customer and regulatory requirements.

SLIM PANEL

6500K 4000K 3000K



■ PF.9 PF.6

- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White/Black

SPECIFICATION

8W

WATT - 8W
DIMENSION OUTER (MM) - 120mm
DIMENSION CUTOUT (MM) - 100mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 720
LED QUANTITY - 40

18W

WATT - 18W
DIMENSION OUTER (MM) - 195mm
DIMENSION CUTOUT (MM) - 175mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1620
LED QUANTITY - 90

12W

WATT - 12W
DIMENSION OUTER (MM) - 145mm
DIMENSION CUTOUT (MM) - 125mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080
LED QUANTITY - 60

22W


WATT - 22W
DIMENSION OUTER (MM) - 220mm
DIMENSION CUTOUT (MM) - 200mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1980
LED QUANTITY - 110





15W

WATT - 15W
DIMENSION OUTER (MM) - 170mm
DIMENSION CUTOUT (MM) - 150mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1350
LED QUANTITY - 75

30W

WATT - 30W
DIMENSION OUTER (MM) - 300mm
DIMENSION CUTOUT (MM) - 275mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 2400
LED QUANTITY - 150





90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROECTION
----------------	---------------	-----------------	--------------------

■ PF.9 PF.6



SPECIFICATION

12W


WATT - 12W
DIMENSION OUTER (MM) - 140mm
DIMENSION CUTOUT (MM) - 120mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K,
6500K, 4000K, 3000K
LUMENS - 720
LED QUANTITY - 60

18W

WATT - 18W
DIMENSION OUTER (MM) - 170mm
DIMENSION CUTOUT (MM) - 150mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K,
6500K, 4000K, 3000K
LUMENS - 1080
LED QUANTITY - 90

- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

RIMLESS PANEL



90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROECTION
----------------	---------------	-----------------	--------------------

■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - PC/Aluminium
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION

6W

WATT - 6W
DIMENSION OUTER (MM) - 95mm
DIMENSION CUTOUT (MM) - 75mm
COLOR TEMPERATURE - CW-6500K,NW - 4000K,WW 3000K
LUMENS - 720
LED QUANTITY - 30


12W

WATT - 12W
DIMENSION OUTER (MM) - 145mm
DIMENSION CUTOUT (MM) - 125mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080
LED QUANTITY - 60


18W

WATT - 18W
DIMENSION OUTER (MM) - 170mm
DIMENSION CUTOUT (MM) - 150mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1620
LED QUANTITY - 90

PC/PLASTIC PANEL



■ PF.9 PF.6



- **WARRANTY** - 2 YEARS
- **MATERIAL** - Polycarbonate
- **SHAPE** - Round/Square
- **BEAMING ANGLE** - 120°
- **LED CHIP** - BRIDGELUX SMD 0.2W
- **BODY COLOR** - White

SPECIFICATION

6W

WATT - 6W
DIMENSION OUTER (MM) - 120mm
DIMENSION CUTOUT (MM) - 100mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 720
LED QUANTITY - 50


12W

WATT - 12W
DIMENSION OUTER (MM) - 145mm
DIMENSION CUTOUT (MM) - 125mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080
LED QUANTITY - 110

18W

WATT - 18W
DIMENSION OUTER (MM) - 170mm
DIMENSION CUTOUT (MM) - 150mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1620
LED QUANTITY - 150

LED MOON ADJUSATBLE PANEL LIGHT



■ PF.9 PF.6

- **WARRANTY** - 2 YEARS
- **MATERIAL** - Polycarbonate
- **SHAPE** - Round
- **RFLECTOR** - Shinland
- **BEAMING ANGLE** - 150°
- **LED CHIP** - BRIDGELUX SMD 0.2W
- **BODY COLOR** - White

SPECIFICATION

6W

WATT - 6W
DIMENSION OUTER (MM) - 65mm
DIMENSION CUTOUT (MM) - 50mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 480
LED QUANTITY - 45

12W

WATT - 12W
DIMENSION OUTER (MM) - 120mm
DIMENSION CUTOUT (MM) - 50-100
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080
LED QUANTITY - 90

18W

WATT - 18W
DIMENSION OUTER (MM) - 150mm
DIMENSION CUTOUT (MM) - 50-125
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1680
LED QUANTITY - 120

LED MOON COLOR PANEL



90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROTECTION
----------------	---------------	-----------------	---------------------

■ PF.9 PF.6

6500K 4000K 3000K



- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- SHAPE - Round
- BEAMING ANGLE - 150°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION


6+3W

WATT - 6+3W
DIMENSION OUTER (MM) - 65mm
DIMENSION CUTOUT (MM) - 50mm
COLOR TEMPERATURE - WH + BLUE,WH + PINK,WH + GREEN,WH + RED
LUMENS - 480
LED QUANTITY - 40+30

12+4W

WATT - 12+4W
DIMENSION OUTER (MM) - 120mm
DIMENSION CUTOUT (MM) - 50-100mm
COLOR TEMPERATURE - WH + BLUE,WH + PINK,WH + GREEN,WH + RED
LUMENS - 1080
LED QUANTITY - 75+45

SLIM SURFACE



90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROTECTION
----------------	---------------	-----------------	---------------------

■ PF.9 PF.6

6500K 4000K 3000K



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round/Square
- REFLECTOR - Shinland
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION

8W

WATT - 8W
DIMENSION OUTER (MM) - 120mm
LENGTH (MM) - 30mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K, RED GREEN BLUE PINK
LUMENS - 720
LED QUANTITY - 40


15W

WATT - 15W
DIMENSION OUTER (MM) - 170mm
LENGTH (MM) - 30mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1350
LED QUANTITY - 75

22W


WATT - 22W
DIMENSION OUTER (MM) - 220mm
LENGTH (MM) - 30mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1980
LED QUANTITY - 110

FRAMELESS SURFACE



90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROTECTION
----------------	---------------	-----------------	---------------------

■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION

16W

WATT - 16W
DIMENSION OUTER (MM) - 125mm
HEIGHT (MM) - 35mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1440
LED QUANTITY - 80


24W

WATT - 24W
DIMENSION OUTER (MM) - 175mm
DIMENSION CUTOUT (MM) - 35mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 2160
LED QUANTITY - 120

36W


WATT - 36W
DIMENSION OUTER (MM) - 225mm
DIMENSION CUTOUT (MM) - 35mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 3240
LED QUANTITY - 180

LED CYLINDER SURFACE



90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROTECTION
----------------	---------------	-----------------	---------------------

■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 90°
- LED CHIP - BRIDGELUX SMD 0.2W
- BODY COLOR - White/Black

SPECIFICATION

12W

WATT - 12W
DIAMETER (MM) - 90mm
LENGTH (MM) - 90mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080
LED QUANTITY - 80

18W

WATT - 18W
DIAMETER (MM) - 120mm
LENGTH (MM) - 120mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1620
LED QUANTITY - 120

24W

WATT - 24W
DIAMETER (MM) - 140mm
LENGTH (MM) - 130mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 2160
LED QUANTITY - 180

COB MOVABLE DOWNLIGHT



90-100 LW/W BIS DRIVER SKD SUPPLIER 2.5KV PROECTION

■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- REFLECTOR - Shinland
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black

SPECIFICATION

4W

WATT - 4W
DIMENSION CUTOUT (MM) - 55mm
LENGTH (MM) - 40mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 360

9W

WATT - 9W
DIMENSION CUTOUT (MM) - 75mm
LENGTH (MM) - 50mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 810

15W


WATT - 15W
DIMENSION CUTOUT (MM) - 95mm
LENGTH (MM) - 60mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1350

24W


WATT - 24W
DIMENSION CUTOUT (MM) - 125mm
LENGTH (MM) - 70mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 2160

36W

WATT - 36W
DIMENSION CUTOUT (MM) - 140mm
LENGTH (MM) - 80mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 3240



COB DEEP DOWNLIGHT



■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- REFLECTOR - Shinland
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black

SPECIFICATION

7W

WATT - 7W
DIMENSION CUTOUT (MM) - 55mm
LENGTH (MM) - 60mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 360


12W

WATT - 12W
DIMENSION CUTOUT (MM) - 75mm
LENGTH (MM) - 80mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1080

18W

WATT - 18W
DIMENSION CUTOUT (MM) - 95mm
LENGTH (MM) - 100mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1620

COB DEEP DOWNLIGHT WITH REFLECTOR



■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- REFLECTOR - Shinland
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black
- REFLECTOR COLOR - Rose Gold, Black, Chrome

SPECIFICATION

7W

WATT - 7W
DIMENSION CUTOUT (MM) - 65mm
LENGTH (MM) - 60mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 360


12W

WATT - 12W
DIMENSION CUTOUT (MM) - 75mm
LENGTH (MM) - 80mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1080

18W

WATT - 18W
DIMENSION CUTOUT (MM) - 75mm
LENGTH (MM) - 80mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1620

COB CYLINDER SURFACE



■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- REFLECTOR - Shinland
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black
- REFLECTOR COLOR - ROSE GOLD/BLACK

SPECIFICATION

8W

WATT - 8W
DIAMETER (MM) - 50mm
LENGTH (MM) - 100mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 120


15W

WATT - 15W
DIAMETER (MM) - 75mm
LENGTH (MM) - 125mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1350

24W

WATT - 24W
DIAMETER (MM) - 100mm
LENGTH (MM) - 150mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 2160

COB TRACK/WALL LIGHT



12w 24w 36w



■ PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - Black

SPECIFICATION

12W

WATT - 12W
DIAMETER OUTER (MM) - 55mm
LENGTH (MM) - 145mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1050

24W

WATT - 24W
DIAMETER OUTER (MM) - 65mm
LENGTH (MM) - 160mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 2160

36W

WATT - 36W
DIAMETER OUTER (MM) - 75mm
LENGTH (MM) - 180mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 3240

COB ZOOM LIGHT



6500K 5000K 4000K 3000K



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White

SPECIFICATION

15W

WATT - 15W
DIMENSION CUTOUT (MM) - 75mm
LENGTH (MM) - 90mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1350

30W

WATT - 30W
DIMENSION CUTOUT (MM) - 120mm
LENGTH (MM) - 135mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 2700

90-100
LW/W

BIS
DRIVER

SKD
SUPPLIER

2.5KV
PROECTION

■ PF.9 PF.6

COB CONCEAL TRACK LIGHT



6500K 5000K 4000K 3000K



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White

SPECIFICATION

15W

WATT - 15W
DIMENSION CUTOUT (MM) - 75mm
LENGTH (MM) - 90mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1350

30W

WATT - 30W
DIMENSION CUTOUT (MM) - 115mm
LENGTH (MM) - 135mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 2700

90-100
LW/W


BIS
DRIVER

SKD
SUPPLIER

2.5KV
PROECTION

■ PF.9 PF.6

COB CYLINDER ADJUSTABLE



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- COB CHIP - SANON COB
- BEAMING ANGLE - 38°
- BODY COLOR - White

SPECIFICATION

15W

WATT - 15W
HEIGHT (MM) - 160mm
DIAMETER (MM) - 55mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 1350

90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROECTION
----------------	---------------	-----------------	--------------------

■ PF.9 PF.6

LINEAR LASER BLADE



- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- Type - Conceal
- SHAPE - Rectangle
- REFLECTOR - Black/Rosegold
- BODY COLOR - White/Black
- COB CHIP - SANON LED 2W

90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROECTION
----------------	---------------	-----------------	--------------------

■ PF.9 PF.6


SPECIFICATION

10W

WATT - 10W
DIMENSION CUTOUT (MM) - 150 * 45mm
LENGTH (MM) - 35mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K,
LUMENS - 900

20W

WATT - 20W
DIMENSION CUTOUT (MM) - 300 * 45 MMmm
LENGTH (MM) - 35mm
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1800



LINEAR SURFACE LIGHT



- **WARRANTY** - 2 YEARS
- **MATERIAL** - Polycarbonate
- **SHAPE** - Round
- **REFLECTOR** - Black/Rosegold
- **BODY COLOR** - White/Black
- **COB CHIP** - SANON LED 2W

SPECIFICATION

12W

WATT - 12W
TYPE - SURFACE
DIMENSION CUTOOUT (MM) - 75 MM OUTER
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080

90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROECTION
----------------	---------------	-----------------	--------------------

■ PF.9 PF.6

LINEAR CONCEAL



- **WARRANTY** - 2 YEARS
- **MATERIAL** - Polycarbonate
- **SHAPE** - Round
- **REFLECTOR** - Black/Rosegold
- **BODY COLOR** - White/Black
- **COB CHIP** - SANON LED 2W

SPECIFICATION

12W

WATT - 12W
TYPE - CONCEAL
DIMENSION CUTOOUT (MM) - 75 MM DIAMETER
COLOR TEMPERATURE - 6500K, 4000K, 3000K
LUMENS - 1080

90-100 LW/W	BIS DRIVER	SKD SUPPLIER	2.5KV PROECTION
----------------	---------------	-----------------	--------------------

■ PF.9 PF.6

Following Products Available In 3in1, CCT Adjustable, Tunable & Dimmable with Remote & Switch

SLIM PANEL



8W 15W

PLASTIC PANEL



15W

SLIM SURFACE



8W 15W

LINEAR BLADE



12W

COB MOVABLE DOWNLIGHT



7W 15W 24W

CYLINDER



8W 15W

COB DEEP DOWNLIGHT COB DEEP DOWNLIGHT(reflector) COB CYLINDER ADJUSTABLE



7W 12W 18W




7W 12W 18W



15W

[illegible]



Contact Details

Gaurav Gaulechha - +91 9924 943 975

Saurabh Gaulechha - +91 8000 105 870

Sales - +91 7201 008 811

Production - +91 7201 008 866

Email - radiantled@outlook.com, radiantled1@gmail.com

Factory Address - Radiant Led, Tejendra - 3, Opp Ashima Mill, Khokhra, Ahmedabad 380026.

Kindly scan here to
visit our website

www.radiantledlight.com

